



2023
MAJOR APPLIANCES
PROMOTION

1st Sept until 31st March 2024

ABOUT SMEG



SMEG

A GLOBAL BRAND

Smeg is an Italian home appliance manufacturer based in Guastalla, near Reggio Emilia in the north of the country. Smeg has 16 subsidiaries worldwide (in the UK, France, Belgium, the Netherlands, Germany, Sweden, Denmark, Spain, Portugal, Russia, Ukraine, Kazakhstan, South Africa, USA, Australia and Mozambique), overseas offices in Hong Kong and Saudi Arabia and an extensive sales network.

For over 60 years now, Smeg appliances have come to be seen as tasteful and elegant solutions to the demands of contemporary living as a result of the company's partnerships with world famous architects.

Not only does Smeg have a unique profile in terms of domestic appliances, it is also renowned in professional business sectors. The Foodservice and Instruments divisions specialise in the area of large-scale restaurant/catering appliances and electro-medical instruments respectively.

The Smeg Group, thanks to a corporate culture which dictates that maximum emphasis be placed on product quality, technology and design, is consequently known all over the globe as one of the key representatives of "Made in Italy" standards.

Get a Smeg Stand Mixer SMF02 at only RM 888

(SMF02, valued @ RM 4,900.00)

PURCHASE WITH PURCHASE
when you purchase at minimum
RM 14,888 worth of Smeg MAJOR
appliances in a single invoice /
receipt.



Colours available :

SMF02PK - PINK
SMF02PG - PASTEL GREEN
SMF02WH - WHITE
SMF02BL - BLACK

Remarks :

- a) Each customer is entitled to one PWP item per sales invoice / receipt
- b) PWP will be subjected to stock availability and while stock lasts.
- c) We reserve the right to amend or withdraw this promotion at any time without prior notice.
- d) Not valid with any other promotions or offers.

OMNICHIEF OVENS



WHAT IS

GALILEO MULTICOOKING TECHNOLOGY?

It is a new technology that revolutionizes ovens from the inside thanks to professional algorithms that combine traditional cooking, microwave and steam.

A NEW ERA BEGINS IN THE KITCHEN



THE PERFECT COMBINATION OF TRADITIONAL COOKING, STEAM AND MICROWAVE



MULTICOOKING TECHNOLOGY: FASTER, EASIER, HEALTHIER

Prepare your dishes faster, getting even healthier foods. Through the Multitech and Multistep functions you can combine up to three cooking methods thanks to professional algorithms and get exceptional results.



NEW CAVITY, MANY INNOVATIONS

Lots of innovations are hidden in the new ovens: a completely renovated baffle, LED lights, an innovative new generation steam system and microwave technology.



SMART COOKING

Professional accessories and 150 automatic recipes to help you bake your favorite food.



A++ EFFICIENCY

Great attention to sustainability with 10% of energy savings.

SPEEDWAVEXL OVENS



THE BIGGEST MICROWAVE OVEN EVER

TRADITIONAL AND MICROWAVE OVENS,
SMART AND XL



MANY UNEXPECTED POSSIBILITIES FOR YOUR KITCHEN
Jam, creams, bechamel and much more. Are you ready to get surprised by SpeedwaveXL?



SPECIAL FUNCTIONS
The available special functions are: soft, melt, pop-corn, gentle defrost, pizza refractory stone, BBQ and airfry.



EXTRA SPACE, NO LIMITS
With its 60 cm height, 65 liters of capacity and 5 levels you can have a really spacious microwave oven.



QUICK AND GREEN
You can save up to 40% cooking time and respect the environment.

STEAM GENERATION

STEAM YOU DON'T EXPECT

THE RANGE OF OVENS THAT COMBINE
TRADITIONAL AND STEAMCOOKING



EXCELLENT QUALITY, EACH AND EVERY DAY
For healthier and tastier food.



STEAM IS THE SECRET INGREDIENT
Steam is the secret ingredient, always at your disposal. Thanks to the Fill and Hide water loading system you can fill the tank without opening the oven.



NEW OPPORTUNITIES IN THE KITCHEN
Many unexpected cooking opportunities for your dishes.



SAME TIME COOKING
Foods with different cooking processes ready at the same moment. Through this function you can cook several dishes at the same time to compose a single dish, saving a lot of time.

SO6606WAPNR

60cm "Dolce Stil Novo" Wi-Fi Omnichef Galileo Multitech Oven
Glossy Black, Copper Finishing

RRP RM 35,900
PROMO **RM 26,925**



Traditional cooking functions



Cooking functions with pulsed steam



Cooking functions with steam



Microwave function




26 No. of cooking functions
150 Automatic programmes
TFT VivoScreen max display
Advanced full touch control

Smart cooking
Multi-step cooking-up to 3 steps

Temperature : 30°C to 250°C
2 no. of 5W Multilevel LED lights
Full glass inner door
4 layer of door glasses
Soft close and soft open door
Inverter and stirrer technology
Safety thermostat
Centrifugal cooling system
Speed reduction cooling system
Electronic temperature control

"Ever Clean" enamel cavity
5 cooking levels
Water tank capacity : 2 litres
Microwave effective power : 900 W

Net volume of the cavity : 68 litres
Nominal power : 3000 W
15amp power supply required



SO4602M1NR

45cm "Dolce Stil Novo" Galileo Combi Microwave Oven
Black Glossy Glass Finishing

RRP RM 15,610
PROMO **RM 11,710**



Traditional cooking functions



Microwave function




11 Cooking functions
LCD EvoScreen display
Eclipse door glass
Full touch control

Temperature : 30°C to 250°C
2 no. of 40W halogen lights
4 layer of door glasses
Temperate door
Soft close and soft open door
Safety thermostat
Tangential cooling system
Microwave screen protection
Electronic temperature control

"Ever Clean" enamel cavity
3 cooking levels

Net volume of the cavity : 40 litres
Microwave effective power : 800 W
Nominal power : 3300 W
15amp power supply required



CPRT615NR

15cm "Dolce Stil Novo" Reheat Drawer
Glossy Black with Copper Finishing

RRP RM 6,900
PROMO **RM 5,175**




Eclipse door glass
Touch control

Programme /Functions :
Defrost
Proofing
Low temperature cooking
Mug warmer
Keep warm
Dish warmer
Reheating
Timer
Delay timer

Net volume of the cavity : 21 litres

Nominal power : 500 W
13amp power supply required



SO6102M2G

60cm "Linea" SpeedwaveXL Galileo Combi
Microwave Oven
Matt Neptune Grey Finishing

RRP RM 16,800
PROMO **RM 12,600**



Traditional cooking functions



Microwave function




11 Cooking functions
LCD EvoScreen display
Full touch control

Temperature : 30°C to 250°C
2 no. of 40W halogen lights
4 layer of door glasses
Soft close and soft open door
Inverter and Stirrer technology
Full glass inner door
Safety thermostat
Centrifugal cooling system
Speed reduction cooling system
Electronic temperature control

"Ever Clean" enamel cavity
5 cooking levels

Net volume of the cavity : 68 litres
Nominal power : 3000 W
15amp power supply required

**SO6102S3PG**

60cm "Linea" Steam 100 Galileo Combi Steam Oven
Matt Neptune Grey Finishing

RRP RM 16,200
PROMO **RM 12,150**



Traditional cooking functions



Cooking functions with steam




12 Cooking functions
LCD EvoScreen display
Full touch control

- Temperature : 30°C to 250°C
- 2 no. of 40W halogen lights
- 3 layer of door glasses
- Soft close and soft open door
- Removable inner door
- Full glass inner door
- Safety thermostat
- Tangential cooling system
- Speed reduction cooling system
- Electronic temperature control

“Ever Clean” enamel cavity
5 cooking levels
Water loading - Drawer, manual
Tank capacity : 0.8 litre

Net volume of the cavity : 67 litres
Nominal power : 3000 W
15amp power supply required



SOP6102TG

60cm "Linea" Traditional Pyrolytic Galileo
Thermo-ventilated Oven
Matt Neptune Grey Finishing

RRP RM 11,400
PROMO **RM 8,550**



Traditional cooking functions




10 Cooking functions
LCD EvoScreen display
Full touch control

- Temperature : 30°C to 280°C
- 2 no. of 40W halogen lights
- 4 layer of door glasses
- Soft close and soft open door
- Full glass inner door
- Removable inner door
- Safety thermostat
- Tangential cooling system
- Speed reduction cooling system
- Electronic temperature control

"Ever Clean" enamel cavity
5 cooking levels

Net volume of the cavity : 68 litres
Nominal power : 3000 W
15amp power supply required



SOP6302TX

60cm "Classic" Traditional Pyrolytic Galileo
Thermo-ventilated Oven
Stainless Steel Fingerproof Finishing

RRP RM 11,185
PROMO **RM 8,390**



Traditional cooking functions




10 Cooking functions
LCD EvoScreen display
Eclipse door glass
Knobs and touch button control

Temperature : 30°C to 280°C
2 no. of 40W halogen lights
4 layer of door glasses
Soft close and soft open door
Removable door
Full glass inner door
Removable inner door
Safety thermostat
Tangential cooling system
Speed reduction cooling system
Electronic temperature control

"Ever Clean" enamel cavity
5 cooking levels

Net volume of the cavity : 68 litres
Nominal power : 3000 W
15amp power supply required



SF6381X

60cm "Classic" Fan Assisted Electric Oven
Brushed Stainless Steel Fingerproof Finishing

RRP RM 8,585
PROMO **RM 6,440**



Traditional cooking functions




6 Cooking functions
3 Classic control knobs

Eclipse door glass
Temperature : 30°C to 250°C
1 no. of 40W halogen lights
3 layer of door glasses
Removable door
Full glass inner door
Removable inner door
Safety thermostat
Tangential cooling system
Electro-mechanical temperature control

"Ever Clean" enamel cavity
5 cooking levels

Net volume of the cavity : 70 litres
Nominal power : 3000 W
15amp power supply required



CPR315X

15cm "Classic" Reheat Drawer
Brushed Stainless Steel Fingerproof Finishing

RRP RM 6,610
PROMO **RM 4,960**




No. of control : 1
Knob control setting

Programme /Functions :
Defrost
Proofing
Mug warmer
Keep warm
Dish warmer
Reheating

Net volume of the cavity : 21 litres

Nominal power : 500 W
13amp power supply required



SO4302M1X

45cm "Classic" Galileo Combi Microwave Oven
Brushed Stainless Steel Fingerproof Finishing

RRP RM 13,900
PROMO **RM 10,425**



Traditional cooking functions



Microwave function




11 Cooking functions
LCD EvoScreen display
Eclipse door glass
Knobs and touch buttons control

Temperature : 30°C to 250°C
2 no. of 40W halogen lights
4 layer of door glasses
Temperate door
Soft close and soft open door
Safety thermostat
Tangential cooling system
Microwave screen protection
Electronic temperature control

"Ever Clean" enamel cavity
2 cooking levels

Net volume of the cavity : 40 litres
Microwave effective power : 800 W
Nominal power : 3300 W
15amp power supply required



SO4302S3X

45cm "Classic" Galileo Combi Steam Oven
Stainless Steel Fingerproof Finishing

RRP RM 14,200
PROMO **RM 10,650**



Traditional cooking functions



Cooking function with steam




12 Cooking functions
LCD EvoScreen display
Eclipse door glass
Knobs and touch buttons control

Temperature : 30°C to 250°C
1 no. of 40W halogen lights
3 layer of door glasses
Temperate door
Soft close and soft open door
Full glass inner door
Removable inner door
Safety thermostat
Tangential cooling system
Speed reduction cooling system
Electronic temperature control

"Ever Clean" enamel cavity
2 cooking levels

Net volume of the cavity : 41 litres
Nominal power : 3000 W
15amp power supply required



SF9390X1

90cm "Classic" Thermo-ventilated Oven
Brushed Stainless Steel Fingerproof Finishing

RRP RM 16,080
PROMO **RM 12,060**



Traditional cooking functions




9 Cooking functions
20 Automatic programmes
2 Classic control knobs
LCD Display technology

Eclipse door glass
Temperature : 30°C to 280°C
2 no. of 40W halogen lights
3 layer of door glasses
Removable door
Full glass inner door
Removable inner door
Safety thermostat
Tangential cooling system
Speed reduction cooling system
Electronic temperature control

"Ever Clean" enamel cavity
5 cooking levels

Net volume of the cavity : 115 litres
Nominal power : 3100 W
15amp power supply required



FMI425X

"Selezione" Built-in Microwave with Grill
Stainless Steel Finishing

RRP RM 4,205
PROMO **RM 3,155**




5 Functions :



No. of control : 1
Electromechanical control
8 Automatic programmes
Multi-session cooking

Control Lock / Child Safety Lock
1 LED light
2 cooking level
Safety thermostat
Tangential cooling system
Microwave screen protection

Net volume of the cavity : 25 litres
Grill power - 1000 W
Microwave effective power - 900 W
13amp power supply required





Hob & Hood





90cm "Classic" Ultra-Low Profile Gas Hob
Brushed Stainless Steel Satin Finishing

70cm "Contemporary" Traditional Gas Hob
Brushed Stainless Steel Satin Finishing



13amp power supply required



PGF31G-1

30cm "Classic" Ultra Low Profile Gas Hob
Brushed Stainless Steel Satin Finishing


RRP RM 5,505
PROMO **RM 4,130**



No. of control : 2
1 Gas cooking zones
Ultra rapid burner 5.20 kW

Burners material - Aluminium
Cast iron pan stands
Automatic Ignition
Gas safety valves
Adaptable for LPG

13amp power supply required



PGF32G

30cm "Classic" Ultra Low Profile Gas Hob
Brushed Stainless Steel Satin Finishing


RRP RM 4,755
PROMO **RM 3,565**



No. of control : 2
2 Gas cooking zones
Left : Ultra rapid burner
Front - right 1.05 kW
Rear - right 2.50 kW

Burners material - Aluminium
Cast iron pan stands
Automatic Ignition
Gas safety valves
Adaptable for LPG

13amp power supply required



SRV532GH3

30cm "Contemporary" Traditional Gas Hob
Brushed Stainless Steel Satin Finishing


RRP RM 2,720
PROMO **RM 2,040**



No. of control : 2
2 Gas cooking zones
Front 1.05 kW
Rear 3.30 kW

Burners material - Aluminium
Cast iron pan stands
Automatic Ignition
Gas safety valves
Adaptable for LPG

13amp power supply required



SI5952B

90cm Ultra Low Profile Induction Hob
Black Ceramic Angled Edge Glass

RRP RM 16,195
PROMO **RM 12,145**



5 Induction cooking zones
5 Cooking zones with booster

Front - left : 1.40 kW,
Booster : 2.20 kW - Ø14.5cm

Rear - left : 1.85 kW,
Booster : 3.00 kW - Ø18 cm


Centre - Giant : 3.00 kW,
Booster : 3.70 - Ø27.0 cm

Rear - right : 2.30 kW,
Booster : 3.70 kW - Ø21.0 cm

Front - right : 1.40 kW,
Booster : 2.20 kW - Ø14.5cm

14 power level
Multi slider control setting
5 end cooking timer
Automatic setting according to pan dimension
Minimum pan diameter indication
Automatic switch off when overheat
Automatic switch off when overflow
Residual time indicator
Residual heat indicator
Simmering function
Melting/Low temperature function
Child lock
Rapid level selection


30amp power supply required



SI7633B

60cm Ultra Low Profile Induction Hob
Black Ceramic Bevelled Front Edge Glass

RRP RM 12,210
PROMO **RM 9,160**



3 Induction cooking zones
3 Cooking zones with booster


Front - left : 2.30 kW,
Booster : 3.70 kW - Ø21cm

Rear - left : 1.40 kW,
Booster : 2.50 kW - Ø14.5 cm

Front - right - Giant : 1.80 kW - 2.80 kW,
Booster : 3.50 - 5.20 kW - Ø18/28 cm

14 power level
Multi slider control setting
3 end cooking timer
Automatic setting according to pan dimension
Minimum pan diameter indication
Automatic switch off when overheat
Automatic switch off when overflow
Residual time indicator
Child lock
Rapid level selection

30amp power supply required



SI5322B

30cm Ultra Low Profile Induction Hob
Black Ceramic Angled Edge Glass

RRP RM 8,025
PROMO **RM 6,020**




2 Induction cooking zones
2 Cooking zones with booster

Front - centre : 1.30 kW,
Booster : 1.40 kW - Ø 16.0 cm

Rear - centre : 2.30 kW,
Booster : 3.00 kW - Ø 21.0 cm

9 power level
Touch control
2 end cooking timer
Automatic setting according to pan dimension
Minimum pan diameter indication
Automatic switch off when overheat
Residual heat indicator
Protection against accidental start up
Child lock
Quick start

15amp power supply required



SIM662WLDR

60cm "Dolce Stil Novo" Induction Hob
Black Ceramic Glass With Copper Finishing
Straight Edge

RRP RM 15,445
PROMO **RM 11,585**




4 Induction cooking zones
4 Cooking zones with booster
2 Flexible zones

Multi zone option
Front left & right : 2.10 kW,
Booster : 3.60 kW - Ø 18x23 cm

Rear left & right : 2.10 kW,
Booster : 3.60 kW - Ø 18x23 cm
Left multizone : Booster : 3.60 kW - Ø 38.5x23 cm
Right multizone : Booster : 3.60 kW - Ø 38.5x23 cm

9 power level
Multi slider control setting
Automatic setting according to pan dimension
Minimum pan diameter indication
Automatic switch off when overheat
Automatic switch off when overflow
Residual time indicator
Permanent auto pot detection with indication
of the relevant control
Pan detection - minimum 9cm
Simmering function
Melting/Low temperature function
Child lock

35amp power supply required



SIM631WLDR

38cm "Dolce Stil Novo" Induction Hob
Black Ceramic Glass With Copper Finishing
Straight Edge

RRP RM 11,080
PROMO **RM 8,310**



2 Induction cooking zones
2 Cooking zones with booster


Multi zone option
Front - centre : 2.10 kW,
Booster : 3.60 kW - Ø 18x23 cm

Rear - centre : 2.10 kW,
Booster : 3.60 kW - Ø 18x23 cm

Central multizone : Booster : 3.60 kW -
Ø 38.5x23 cm

9 power level
Multi slider control setting
Automatic setting according to pan dimension
Minimum pan diameter indication
Automatic switch off when overheat
Automatic switch off when overflow
Residual time indicator
Permanent auto pot detection with indication
of the relevant control
Pan detection - minimum 9cm
Simmering function
Melting/Low temperature function
Child lock

35amp power supply required



SE364ETD

60cm Ultra Low Profile/Fully Flushed Ceramic Hob
Black Ceramic Straight Edge Glass

RRP RM 8,765
PROMO **RM 6,575**



4 Ceramic cooking zones
4 Cooking zones with booster


Front - left : 1.80 kW- Ø18.4cm
Rear - left : 1.20 kW - Ø14.8 cm
Rear - right : 1.00 - 2.20 kW - Ø 14.8 - Ø 21.4 cm
Front - right : 1.20 kW - Ø 14.8 cm

9 power level
Touch control
4 end cooking timer
Minute minder
Keep warm automatic function
Automatic switch off when overheat

Automatic switch off when overflow

Residual time indicator
Residual heat indicator
Child lock
Quick start

30amp power supply required



SE332EB

30cm Ultra Low Profile Ceramic Hob
Black Ceramic Angled Edge Glass

RRP RM 5,295
PROMO **RM 3,970**




2 Ceramic cooking zones
2 Cooking zones with booster

Front - centre : 1.20 kW- Ø 14.8 cm
Rear - centre : 0.70 - 1.70 kW -
Ø 12.4 - Ø 18.4 cm

9 power level
Touch control
Keep warm automatic function
Automatic switch off when overheat
Automatic switch off when overflow
Residual heat indicator
Child lock
Quick start

15amp power supply required



COMBI SET : COO-VIC-90-P

90 x 60cm "Victoria" Cooker With Gas Hob
Cream Colour

RRP SET PRICE RM 43,660
PROMO SET PRICE **RM 30,560**



TR90P2



KT90PE

Traditional cooking functions



Thermo-ventilated oven
9 Cooking functions
2 (40W) halogen light
Temperature : 50°C to 260°C
3 layer of door glasses
Removable door
Safety thermostat
Tangential cooling system
Electro-mechanical temperature control


"Ever Clean" enamel cavity
5 cooking levels
Net volume of the cavity : 115 litres

Hob - 5 cook zones

Front left - rapid : 2.90 kW
Rear left - semi-rapid : 1.80 kW
Central - ultra rapid : 5.00 kW
Rear right - semi rapid : 1.80 kW
Front right : 1.00 kW

Automatic electronic ignition
Gas safety valves
Matt black enamelled burner caps
Cast iron pan stand
Adaptable to LPG

15amp power supply required



COMBI SET : COO-VIC-90-BL

90 cm "Victoria" Decorative Wall Chimney Hood
Black Colour

RRP SET PRICE RM 43,660
PROMO SET PRICE **RM 30,560**



TR90BL2




KT90BLE

275W Motor power
No. of speed : 3 + Intensive speed
2 Victoria knobs control
3 Aluminium Anti-grease filters
2 LED (1W) lights
Light color temperature scale (°K) : 3000 °K
Non return valve
Vent outlet : Ø 150mm

Free outlet maximum capacity : 820 m³/h
Minimum distance from Gas hob : 750mm
Minimum distance from Electric hob : 650mm

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dB (A)]
Speed 1	334	49
Speed 2	439	57
Speed 3	567	61
Intensive	788	69

13amp power supply required



A5-81

150 x 60cm "Opera" Cooker With Gas Hob
Stainless Steel

RRP RM 68,930

PROMO **RM 51,700**



Traditional cooking functions - Main Oven



Thermo-ventilated oven
8 Cooking functions
2 Incandescent light - 25W
Temperature : 50°C to 250°C
3 layer of door glasses
Full glass inner door
Removable inner door
Roof liner
Tangential cooling system
Electro-mechanical temperature control

"Ever Clean" enamel cavity
4 cooking levels
Net volume of the cavity : 77 litres

Hob - 7 cook zones

Front left - ultra rapid : 4.20 kW
Rear left - semi rapid : 1.80 kW
Front centre : 1.00 kW
Rear centre - rapid : 3.00 kW
Front right : 1.00 kW
Rear right - Fish burner : 1.90 kW
Right - Ultra rapid : 5.00 kW
Central - BBQ : 1.60 kW

Automatic electronic ignition
Gas safety valves
Matt black enamelled burner caps
Automatic switch off when overflow
Cast iron pan stand
Adaptable to LPG


45amp power supply required

Traditional cooking functions - Auxiliary Oven



Thermo-ventilated oven
8 Cooking functions
1 (40W) Halogen light
Temperature : 50°C to 280°C
3 layer of door glasses
Full glass inner door
Removable inner door
Tilting grill
Tangential cooling system
Electro-mechanical temperature control

"Ever Clean" enamel cavity
4 cooking levels
Net volume of the cavity : 54 litres



A3-81

120 x 60cm "Opera" Cooker With Gas Hob
Stainless Steel

RRP RM 58,845

PROMO **RM 44,130**



Traditional cooking functions - Main Oven



Thermo-ventilated oven
8 Cooking functions
2 Incandescent light - 25W
Temperature : 50°C to 250°C
3 layer of door glasses
Removable door
Safety thermostat
Tangential cooling system
Electro-mechanical temperature control

"Ever Clean" enamel cavity
4 cooking levels
Net volume of the cavity : 77 litres

Hob - 6 cook zones

Front left - ultra rapid : 4.20 kW
Rear left - semi rapid : 1.80 kW
Front centre : 1.00 kW
Rear centre - rapid : 3.00 kW
Front right : 1.00 kW
Rear right - Fish burner : 1.90 kW
Central - BBQ : 1.60 kW

Automatic electronic ignition
Gas safety valves
Matt black enamelled burner caps
Cast iron pan stand
Adaptable to LPG


35amp power supply required

Traditional cooking functions - Auxiliary Oven



Static oven
4 Cooking functions
1 Incandescent light - 25W
Temperature : 50°C to 220°C
3 layer of door glasses
Removable door
Safety thermostat
Tangential cooling system
Electro-mechanical temperature control

"Ever Clean" enamel cavity
4 cooking levels
Net volume of the cavity : 40 litres



A2-81

100 x 60cm "Opera" Cooker With Gas Hob
Stainless Steel

RRP RM 45,390

PROMO **RM 34,045**



Traditional cooking functions - Main Oven



Thermo-ventilated oven
8 Cooking functions
1 (40W) halogen light
Temperature : 50°C to 250°C
3 layer of door glasses
Removable door
Safety thermostat
Tangential cooling system
Electro-mechanical temperature control

"Ever Clean" enamel cavity
4 cooking levels
Net volume of the cavity : 61 litres

Hob - 6 cook zones

Front left - semi rapid : 1.80 kW
Rear left - ultra rapid : 4.20 kW
Front centre : 1.00 kW
Rear centre - semi rapid : 1.80 kW
Front right - ultra rapid : 4.20 kW
Rear right - rapid : 3.00 kW

Automatic electronic ignition
Gas safety valves
Matt black enamelled burner caps
Cast iron pan stand
Adaptable to LPG


35amp power supply required

Traditional cooking functions - Auxiliary Oven



Static Oven
4 Cooking functions
1 Incandescent light - 25W
Temperature : 50°C to 250°C
3 layer of door glasses
Removable door
Safety thermostat
Tangential cooling system
Electro-mechanical temperature control

"Ever Clean" enamel cavity
4 cooking levels
Net volume of the cavity : 35 litres



A1-9

90 x 60cm "Opera" Cooker With Gas Hob
Stainless Steel

RRP RM 34,890
PROMO **RM 26,170**



Traditional cooking functions



Thermo-ventilated oven
10 Cooking functions
2 (40W) halogen light
Temperature : 50°C to 280°C
3 layer of door glasses
Removable door
Safety thermostat
Tangential cooling system
Electronic temperature control


"Ever Clean" enamel cavity
5 cooking levels
Net volume of the cavity : 115 litres

Hob - 6 cook zones

Front left - ultra rapid : 4.20 kW
Rear left - rapid : 3.00 kW
Front centre : 1.00 kW
Rear centre - semi rapid : 1.80 kW
Front right - semi rapid : 1.80 kW
Rear right - rapid : 3.00 kW

Automatic electronic ignition
Gas safety valves
Matt black enamelled burner caps
Cast iron pan stand
Adaptable to LPG

15amp power supply required



SUK91MFX9

90 x 60cm "Concerto" Cooker With Gas Hob
Stainless Steel

RRP RM 20,415
PROMO **RM 15,310**



Traditional cooking functions



Thermo-ventilated oven
8 Cooking functions
2 (40W) halogen light
Temperature : 50°C to 260°C
3 layer of door glasses
Removable door
Safety thermostat
Tangential cooling system
Electro-mechanical temperature control


"Ever Clean" enamel cavity
5 cooking levels
Net volume of the cavity : 115 litres

Hob - 5 cook zones

Front left - rapid : 2.90 kW
Rear left - semi-rapid : 1.80 kW
Central - ultra rapid : 4.00 kW
Rear right - semi rapid : 1.80 kW
Front right : 1.00 kW

Automatic electronic ignition
Gas safety valves
Matt black enamelled burner caps
Cast iron pan stand
Adaptable to LPG

15amp power supply required



NB: Height with plinth installed is fixed at 900mm

KD150HXE

150 cm Decorative Wall Chimney
Brushed Stainless Steel

RRP RM 10,825
PROMO **RM 8,120**




275W Motor power
No. of speed : 3 + Intensive speed
2 Classic knobs control
5 Stainless Steel Anti-grease filters
4 LED (1W) lights
Light color temperature scale (°K) : 4000 °K
Non return valve
Vent outlet : Ø 150mm

Free outlet maximum capacity : 830 m³/h
Minimum distance from Gas hob : 750mm
Minimum distance from Electric hob : 650mm

	Extraction rate IEC 61591 [m ³ /h]	Noise level IEC 60704-2-13 [dB (A)]
Speed 1	292	49
Speed 2	415	58
Speed 3	626	67
Intensive	787	72

13amp power supply required



KD120HXE

120 cm Decorative Wall Chimney Hood
Brushed Stainless Steel

RRP RM 8,145
PROMO **RM 6,110**




275W Motor power
No. of speed : 3 + Intensive speed
2 Classic knobs control
4 Stainless Steel Anti-grease filters
4 LED (4W) lights
Light color temperature scale (°K) : 4000 °K
Non return valve
Vent outlet : Ø 150mm

Free outlet maximum capacity : 820 m³/h
Minimum distance from Gas hob : 750mm
Minimum distance from Electric hob : 650mm

	Extraction rate IEC 61591 [m ³ /h]	Noise level IEC 60704-2-13 [dB (A)]
Speed 1	287	49
Speed 2	389	58
Speed 3	606	67
Intensive	777	73

13amp power supply required



KD100HXE

100 cm Decorative Wall Chimney Hood
Brushed Painted Material

RRP RM 7,730
PROMO **RM 5,800**




275W Motor power
No. of speed : 3 + Intensive speed
2 Classic knobs control
3 Stainless Steel Anti-grease filters
2 LED (1W) lights
Light color temperature scale (°K) : 4000 °K
Non return valve
Vent outlet : Ø 150mm

Free outlet maximum capacity : 830 m³/h
Minimum distance from Gas hob : 750mm
Minimum distance from Electric hob : 650mm

	Extraction rate IEC 61591 [m ³ /h]	Noise level IEC 60704-2-13 [dB (A)]
Speed 1	297	49
Speed 2	431	58
Speed 3	639	67
Intensive	792	72

13amp power supply required



KS1250XE

120 cm Decorative Wall T Flat Hood
Brushed Painted Material

RRP RM 9,540
PROMO **RM 7,155**




275W Motor power
No. of speed : 3 + Intensive speed
Electronic buttons control
Time-setting options
4 Aluminium Anti-grease filters
Filter replacement indicator
4 LED (1.0W) lights
Light color temperature scale (°K) : 4000 °K
Non return valve
Vent outlet : Ø 150mm

Free outlet maximum capacity : 800 m³/h
Minimum distance from Gas hob : 750mm
Minimum distance from Electric hob : 650mm

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dB (A)]
Speed 1	295	51
Speed 2	395	58
Speed 3	513	64
Intensive	702	72

13amp power supply required



KBT1200XE

120 cm Decorative Wall T Flat Hood
Brushed Painted Material

RRP RM 5,925
PROMO **RM 4,445**




230W Motor power
No. of speed : 3 + Intensive speed
Electronic buttons control
24 hr air filter function
Time-setting options
4 Aluminium Anti-grease filters
Filter replacement indicator
2 LED (1.3W) lights
Light color temperature scale (°K) : 3000 °K
Non return valve
Vent outlet : Ø 150mm

Free outlet maximum capacity : 610 m³/h
Minimum distance from Gas hob : 650mm
Minimum distance from Electric hob : 650mm

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dB (A)]
Speed 1	251	48
Speed 2	345	56
Speed 3	454	62
Intensive	690	72

13amp power supply required



KD90HXE

90 cm Decorative Wall Chimney Hood
Brushed Painted Material

RRP RM 7,610
PROMO **RM 5,710**




275W Motor power
No. of speed : 3 + Intensive speed
2 Classic knobs control
3 Stainless Steel Anti-grease filters
2 LED (1W) lights
Light color temperature scale (°K) : 4000 °K
Non return valve
Vent outlet : Ø 150mm

Free outlet maximum capacity : 815 m³/h
Minimum distance from Gas hob : 750mm
Minimum distance from Electric hob : 650mm

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dB (A)]
Speed 1	288	48
Speed 2	421	63
Speed 3	630	67
Intensive	781	72

13amp power supply required



KBT900XE

90 cm Decorative Wall T Flat Hood
Brushed Painted Material

RRP RM 4,720
PROMO **RM 3,540**




230W Motor power
No. of speed : 3 + Intensive speed
Electronic buttons control
3 Aluminium Anti-grease filters
Filter replacement indicator
2 LED (1.3W) lights
Light color temperature scale (°K) : 3000 °K
Non return valve
Vent outlet : Ø 150mm

Free outlet maximum capacity : 730 m³/h
Minimum distance from Gas hob : 650mm
Minimum distance from Electric hob : 500mm

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dB (A)]
Speed 1	265	47
Speed 2	360	55
Speed 3	480	62
Intensive	713	72

13amp power supply required



KSET900XE

90cm Integrated (semi) Telescopic Hood
Brushed Stainless Steel

RRP RM 4,560
PROMO **RM 3,420**




175W Motor power
No. of speed : 3
Slider control
2 Aluminium Anti-grease filters
2 LED (3W) lights
Light color temperature scale (°K) : 3500 °K
Non return valve
Vent outlet : Ø 150mm

Free outlet maximum capacity : 600 m³/h
Minimum distance from Gas hob : 650mm
Minimum distance from Electric hob : 500mm

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dB (A)]
Speed 1	240	44
Speed 2	368	54
Speed 3	581	65

13amp power supply required



KSET62E

60cm Integrated (semi) Telescopic Hood
Silver Colour

RRP RM 2,530
PROMO **RM 1,900**




115W Motor power
No. of speed : 3
Buttons control
2 Aluminium Anti-grease filters
2 LED (3W) lights
Light color temperature scale (°K) : 2700 °K
Non return valve
Vent outlet : Ø 120mm

Free outlet maximum capacity : 304 m³/h
Minimum distance from Gas hob : 650mm
Minimum distance from Electric hob : 500mm

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dB (A)]
Speed 1	125	46
Speed 2	160	48
Speed 3	304	62

13amp power supply required





Color Fridge



FAB28

50'S STYLE RETRO REFRIGERATOR

Single Door Refrigerator, Free Standing, Right Hand Hinge

RRP RM 20,520

PROMO **RM 15,390**



FAB28RPB - Pastel Blue



FAB28RRD - Red



FAB28RWH - White



FAB28RBL - Black



FAB28RYW - Yellow



FAB28RCR - Cream



FAB28RSV - Silver



FAB28RPG - Pastel Green




FAB28ROR - Orange



FAB28RPK - Pink



FAB28RBE - Blue



Total net volume: 270 litres
Inverter compressor
Refrigerator Compartment :
2 Adjustable shelves
1 Fruits and vegetables drawers
LED Internal light
Automatic defrost
Multiflow system
Total volume : 244 litres

Refrigerator Inner Door
1 Bottle shelf
1 Door shelf with transparent cover
1 Adjustable door shelf
Bottle shelves with wire support

Freezer :
Total volume : 26 litres
Manual defrost

13amp power supply required

FAB5

50'S STYLE RETRO REFRIGERATOR

Single Door Refrigerator, Free Standing, Right Hand Hinge

RRP RM 12,305

PROMO **RM 9,230**



FAB5ROR - Orange



FAB5RBL - Black



FAB5RRD - Red



FAB5RPG - Pastel Green




FAB5RPB - Pastel Blue



FAB5RCR - Cream



FAB5RPK - Pink



Total net volume : 34 litres
Standard compressor
Electronic temperature control

Refrigerator Compartment :
2 Adjustable shelves
LED Internal light
Automatic defrost
Total volume : 34 litres

Refrigerator Inner Door
1 Bottle shelf
Adjustable bottle shelves with wire support
1 Adjustable door shelf
Adjustable door shelves with wire support

13amp power supply required



SINK, TAP & ACCESSORIES



VSTQ72-2

Single Rectangular Undermount Sink
Brushed Stainless Steel

RRP RM 4,215
PROMO **RM 3,585**



Bowl dimension,
WxDxH (mm) : 720 x 400 x 210

Bowl depth (mm): 210
Strainer dimension: 3.5"

Standard accessories :
Overflow
Drain
Gaskets
Fixing clips
Dishwasher drain trap

VSTQ40-2

Single Square Undermount Sink
Brushed Stainless Steel

RRP RM 3,745
PROMO **RM 3,185**



Bowl dimension,
WxDxH (mm) : 400 x 400 x 210

Bowl depth (mm): 210
Strainer dimension: 3.5"

Standard accessories :
Overflow
Drain
Gaskets
Fixing clips
Dishwasher drain trap

UM45

Single Undermount Sink
Brushed Stainless Steel

RRP RM 965
PROMO **RM 820**



Bowl dimension,
WxDxH (mm) : 450 x 400 x 180

Bowl depth (mm): 180
Strainer dimension: 3.5"

Standard accessories :
Overflow
Drain
Gaskets
Fixing clips
Dishwasher drain trap

UM34

Single Undermount Sink
Brushed Stainless Steel





RRP RM 900
PROMO **RM 765**



Bowl dimension,
WxDxH (mm) : 340 x 400 x 180

Bowl depth (mm): 180
Strainer dimension: 3.5"

Standard accessories :
Overflow
Drain
Gaskets
Fixing clips
Dishwasher drain trap




M16CSP

Single Level Mixer
Brushed Chrome Finishing

RRP RM 4,665
PROMO **RM 3,960**



Swivel spout
Minimum pressure 0.5 bar
Maximum pressure 5 bar
Tap hole diameter : 35mm
360° Swivelling spout rotation
Ceramic disc cartridge : 25Ø




MFQ6-IS2

Single Level Mixer
Brushed Nickel Finishing

RRP RM 4,540
PROMO **RM 3,860**



Swivel spout
Minimum pressure 0.5 bar
Maximum pressure 5 bar
Tap hole diameter : 35mm
360° Swivelling spout rotation
Ceramic disc cartridge : 25Ø




MFQ8-IS

Single Level Mixer
Brushed Nickel Finishing

RRP RM 5,510
PROMO **RM 4,680**



Swivel spout
Minimum pressure 0.5 bar
Maximum pressure 5 bar
Tap hole diameter : 35mm
120° Swivelling spout rotation
Ceramic disc cartridge : 25Ø




MD14CR

Single Level Mixer
Glossy Chrome Finishing

RRP RM 3,405
PROMO **RM 2,895**



Swivel spout
Minimum pressure 0.5 bar
Maximum pressure 5 bar
Tap hole diameter : 35mm
170° Swivelling spout rotation
Flexible hose length : 500mm
Ceramic disc cartridge : 25Ø



ACCESSORIES



TPKX

Teppanyaki Grill Plate

RRP RM 3,494

PROMO **RM 2,620**



GGB30

30cm Cast Iron Grid

RRP RM 258

PROMO **RM 190**




GGB31

30cm Cast Iron Grid

RRP RM 323

PROMO **RM 240**



BB3679

Cast Iron Griddle

RRP RM 840

PROMO **RM 630**



C30CX/1

30cm Hob Cover

RRP RM 840

PROMO **RM 630**



LGPGF

Connecting Strips

RRP RM 453

PROMO **RM 335**



PPR 2

Universal Pizza Stone

RRP RM 686

PROMO **RM 515**



PALPZ

Pizza Shovel

RRP RM 362

PROMO **RM 270**



WOKGHU

Cast Iron Wok Support

RRP RM 151

PROMO **RM 125**



Oven Clean-1

Spray Cleaner

RRP RM 54

PROMO **RM 37**



TVSG

Silver Glass Chopping Board

24cm width reversible stainless steel and glass chopping boards suitable for most Mira (LD series), Alba and Rigae (LE series) sinks.

RRP RM 544

Promo **RM 300**



VSH20Q

Stainless Steel Rectangular Colander

Stainless steel rectangular colander - 200mm half bowl square corners

RRP RM 2,523

Promo **RM 1,385**



HBCOL

Stainless Steel Colander

RRP RM 440

Promo **RM 240**



about us



Price quoted exclude installation.

Kitch was incorporated in 1999 as the marketing arm of Kosion Trading (M) Sdn Bhd to cater to the growing needs of the kitchen industry in Malaysia. Our aim is to bring the best in quality fittings and appliances for the kitchen to consumers who want products that will last for years.

With more than 20 years of experience in supplying fittings and materials to the furniture and wood-working industry, we have slowly been evolving into a specialist supplier for the kitchen industry over the past 10 years. Today, we are a leading supplier to the kitchen industry in Malaysia. Our range of products can be seen in many kitchen showrooms throughout Malaysia as well as in exclusive property development show units. In addition, we work with many of the leading kitchen designers and interior designers to introduce the latest trends and technology in kitchen design and planning to Malaysian consumers.

Our commitment to the kitchen industry is backed by our competent staff who are on hand to provide planning information as well as after-sales servicing to both industry personnel and consumers alike.

We maintain our own product showrooms in Kuala Lumpur and Petaling Jaya. At these showrooms, visitors can view our current range of products, including Salice fittings from Italy, Smeg appliances from Italy, and Vintec products from Denmark.



KITCH

Kitch (M) Sdn Bhd (566346-V)

8, Jalan Industri PBP 5,
Taman Perindustrian Pusat Bandar
Puchong, 47100 Puchong, Selangor Darul
Ehsan, Malaysia.
Tel : +603 5882 5533 Fax: +603 5882 6267

Showroom

85, Jalan Klang Lama, Batu 3, 58000 Kuala
Lumpur, Malaysia.
Tel: +603 7982 8233 Fax: +603 7981 4102

11, Jalan Dato Abu Bakar, (Jalan 16/1),
Section 16, 46350 Petaling Jaya
Tel: +603 7954 2522 Fax : +603 7954 2521

info@kitch.com.my

 facebook.com/mykitch
 twitter.com/my_kitch

www.smeg.my

Authorised Dealer